

## Technical equipment of Vaba Lava

### Lightning equipment:

1. Lightning console <b>ChamSys MQ60</b>	1
2. Dimmer channel 10 amps ( <b>Zero88 BetaPack 3</b> )	48
3. Fresnel projector <b>Robert Juliat 329H</b>	
Power 2000W, 7°-49°	16
4. PC-projector <b>Robert Juliat 329H</b> , 2000W, 7°-49°	8
5. PC-projector <b>Selecon Rama Standard</b> , 1200W, 25°-60° + barndoors	20
6. Fresnel projector <b>Selecon Arena</b> , 2000W, 7°-60° + barndoors	4
7. Profile projector <b>ETC Source Four Zoom</b> , 750W, 25°-50°	8
8. Projector <b>PAR64</b> , 1000W, standard, black (CP61/CP62/EXG)	36
9. Cyc 1000W + barndoors	16
10. LED-spot <b>Futurelight PRO Slim PAR-12 QCL RGBA</b>	10
11. Stand, max. height 325 cm, T-bar for 4 projectors	8
12. Floor stand for 1 projector, height 10 cm	20
13. Fog machine <b>Look Viper NT</b>	1

### Sound equipment

1. Mixing console <b>Midas Venice U16</b>	1
2. Amplifier <b>Powersoft M30D</b>	3
3. Amplifier <b>Powersoft M30D</b>	1



- |  |          |
|--|----------|
| 4. Digital processor <b>EAW UX3600</b>   | <b>1</b> |
| 5. Loudspeaker <b>EAW KF394</b> Black, 3 way, bi-amp/ single amp.<br>Power 750 W+150 W | <b>2</b> |
| 6. Subwoofer <b>EAW JFL118</b><br>Power 800 W  | <b>2</b> |
| 7. Stage monitor <b>EAW VFM129</b> Black, 2 way, single amp.<br>Power 500 W            | <b>2</b> |
| 8. Wireless microphone system <b>Shure SLX/B58/S6</b>                                  | <b>2</b> |
| 9. Di-box <b>Klark Teknik DN200</b> , stereo   | <b>2</b> |
| 10. Di-box <b>Klark Teknik DN100</b> , mono  | <b>4</b> |
| 11. Speaker stand <b>K&amp;M 21336</b> , 36mm, length 945- 1475mm                      | <b>2</b> |

### Video equipment

- |  |          |
|--|----------|
| 1. Projector <b>Christie Roadster WU14K-M Projector 3-DLP</b> ,<br>WUXGA, 14000 lm, wide lens ILS 0.73:1SX+/0.67:1HD + rigging frame | <b>1</b> |
| 2. Projector <b>Panasonic PT-DX100EKJ XGA</b> , standard <i>zoom</i> (1.8-2.5:1) lens +<br>rigging frame, 10000 lm                   | <b>1</b> |
| 3. Projector Panasonic PT-TW340 WXGA short distance, 3200 lm,<br>wide lens (fixed 0.46:1)  | <b>1</b> |
| 4. Screen <b>STFL-MB32</b> 240x150 (for front projection)  | <b>1</b> |



Contact:

Priidu Adlas

Technical Manager

+372 5558 4797

[priidu@vabalava.ee](mailto:priidu@vabalava.ee)

